









The 'NK' Furious...
The rebel street bike with attitude, safe, light and agile.





## Who we are, what we do...

Hanway do not make 'ordinary' motorcycles, we have a passion to exceed expectation and make a motorcycle that is special. We do not do ordinary, we do 'special' as standard.

## Designed to handle whatever the street can throw at it

The NK (Furious) simply 'oozes' attitude, this is the rebel street bike that turns heads, from the aggressive LED headlamp detail to the sharp angular body styling - the NK makes a statement, your individuality.

Now pick the powerplant to suit your needs and hit the street - make YOUR statement!



A diamond sharp street bike with a specification as smart as it looks

















The NK makes a statement of your individuality, crackling with attitude and confidence

## Hanway NK125s/300

NK125S / 300 TECHNICAL SPECIFICATION

| Engine                          | NK125s                                      | NK300                                       |
|---------------------------------|---|---|
| Engine type                     | Single Liquid Cooled 4T 4V DOHC             | Single Liquid Cooled 4T 4V DOHC             |
| Displacement (cc)               | 124.2cc                                     | 292cc                                       |
| Compression Ratio               | 12:01                                       | 11:01                                       |
| Max Net Power (kWr/min)         | 11/10000                                    | 20.5/8750                                   |
| Max Net Torque, rate (Nm/r/min) | 11/8000                                     | 25/7200                                     |
| Ignition                        | Electronic Inductive                        | Electronic Inductive                        |
| Starting Method                 | Electric                                    | Electric                                    |
| Frame/Body                      | Frame/Body                                  | Frame/Body                                  |
| Dimensions (mm)                 | 2050(L) x 790(W) x 1100(H)                  | 2050(L) x 790(W) x 1100(H)                  |
| Wheelbase (mm)                  | 1375mm                                      | 1375mm                                      |
| Ground Clearance (mm)           | 173mm                                       | 173mm                                       |
| Seat Height (mm)                | 790mm                                       | 790mm                                       |
| Front Suspension                | Upside Down Double Hydraulic Shock Absorber | Upside Down Double Hydraulic Shock Absorber |
| Rear Suspension                 | Single Shock Absorber                       | Single Shock Absorber                       |
| Front Tyre                      | Tubeless 110/70-17                          | Tubeless 110/70-17                          |
| Rear Tyre                       | Tubeless 140/70-17                          | Tubeless 140/70-17                          |
| Brakes                          | Front 298mm Disc/Rear 218mm Disc            | Front 298mm Disc/Rear 218mm Disc            |
| Battery (Volts)                 | 12 volts                                    | 12 volts                                    |
| Fuel Capacity                   | 13.5ltr                                     | 13.5ltr                                     |
|                                 | E. & O. E.                                  | E. & O. E.                                  |











Hanway engage with market leading partners to ensure the highest levels of technology, safety and reliability.